

Linear-in- Δ Lower Bounds in the LOCAL Model

Mika Göös
mika.goos@mail.utoronto.ca

Department of Computer Science
University of Toronto, Canada

Juho Hirvonen
juho.hirvonen@aalto.fi

Helsinki Institute for Information Technology HIIT
Department of Information and Computer Science
Aalto University, Finland

Jukka Suomela
jukka.suomela@aalto.fi

ABSTRACT

By prior work, there is a distributed graph algorithm that finds a maximal fractional matching (maximal edge packing) in $O(\Delta)$ rounds, independently of n ; here Δ is the maximum degree of the graph and n is the number of nodes in the graph. We show that this is optimal: there is no distributed algorithm that finds a maximal fractional matching in $o(\Delta)$ rounds, independently of n . Our work gives the first linear-in- Δ lower bound for a natural graph problem in the standard LOCAL model of distributed computing—prior lower bounds for a wide range of graph problems have been at best logarithmic in Δ .

Categories and Subject Descriptors

C.2.4 [Computer-Communication Networks]: Distributed Systems; F.2.2 [Analysis of Algorithms and Problem Complexity]: Nonnumerical Algorithms and Problems

Keywords

Local distributed algorithms; lower bounds; maximal edge packing; maximal fractional matching

1. INTRODUCTION

This work settles the distributed time complexity of the *maximal fractional matching* problem (see Section 1.2 for definitions) as a function of Δ , the maximum degree of the input graph.

By prior work [4], there is a distributed algorithm that finds a maximal fractional matching (also known as a maximal edge packing) in $O(\Delta)$ communication rounds, independently of the number of nodes. In this work, we show that this is optimal: there is no distributed algorithm that finds a maximal fractional matching in $o(\Delta)$ rounds.

This is the first linear-in- Δ lower bound for a natural graph problem in the standard LOCAL model of distributed computing. It is also a step towards understanding the complexity of the non-fractional analogue, the maximal matching problem,

which is a basic symmetry breaking primitive in the field of distributed graph algorithms. For many related primitives, the prior lower bounds in the LOCAL model have been at best logarithmic in Δ .

1.1 Matchings: State-of-the-art

Simple randomised distributed algorithms that find a maximal matching in time $O(\log n)$ have been known since the 1980s [1, 15, 22]. Currently, the fastest algorithms that compute a maximal matching stand as follows:

- **Dense graphs.** There is a recent $O(\log \Delta + \log^4 \log n)$ -time randomised algorithm due to Barenboim et al. [6]. The fastest known deterministic algorithm runs in time $O(\log^4 n)$ and is due to Hańćkowiak et al. [12].
- **Sparse graphs.** There is a $O(\Delta + \log^* n)$ -time deterministic algorithm due to Panconesi and Rizzi [26]. Here $\log^* n$ is the iterated logarithm of n , a very slowly growing function.

Our focus is on the sparse case. It is a long-standing open problem to either improve on the algorithm of Panconesi and Rizzi, or prove it optimal. As we are dealing with two independent parameters n and Δ , we must be careful what we mean by “proving it optimal”. The meaning is: (1) there is no algorithm with run-time $O(\Delta) + o(\log^* n)$; (2) nor an algorithm with run-time $o(\Delta) + O(\log^* n)$.

The first type of lower bound follows from Linial’s [21] seminal work. Linial shows that 3-colouring a cycle is not possible in time $o(\log^* n)$, so by a simple reduction:

- (1) **Linial’s result:** *Maximal matchings cannot be computed in time $f(\Delta) + o(\log^* n)$ for any function f .*

Hence we have an arbitrarily large lower bound in terms of Δ , since $\Delta = 2$ on cycles. However, viewing Linial’s result from the perspective of Δ is not very meaningful: the source of hardness exhibited in Linial’s proof is *not* the degree of the graph but its growing size.

The second type of lower bound has remained elusive (see Barenboim and Elkin [5, Open Problem 10.6]):

- (2) **Open problem:** *Can maximal matchings be computed in time $o(\Delta) + O(\log^* n)$?*

We conjecture that there are no such algorithms. Our linear-in- Δ lower bound for the *fractional* version of this problem builds towards proving such conjectures: the source of hardness for maximal fractional matchings is *not* the size of the graph but the growing degree. The graphs in our lower bound

construction end up satisfying $\Delta = \Theta(\log^* n)$; if this could be improved to a family where $\Delta = \omega(\log^* n)$, we would obtain a negative answer to (2).

1.2 Fractional matchings

While a matching associates a weight 0 or 1 with each edge of a graph, with 1 indicating that the edge is in a matching, a fractional matching (FM) associates a weight between 0 and 1 with each edge. In both cases, the total weight of the edges incident to any given node has to be at most 1.

Formally, let $G = (V, E)$ be a simple undirected graph and let $y: E \rightarrow [0, 1]$ associate weights to the edges of G . Define, for each $v \in V$,


$$y[v] := \sum_{e \in E: v \in e} y(e).$$

The function y is called a *fractional matching*, or an FM for short, if $y[v] \leq 1$ for each node v . A node v is *saturated* if $y[v] = 1$.

There are two interesting varieties of fractional matchings.

- **Maximum weight.** An FM y is of *maximum weight*, if its total weight $\sum_{e \in E} y(e)$ is the maximum over all fractional matchings on G .
- **Maximality.** An FM y is *maximal*, if each edge e has at least one saturated endpoint $v \in e$.

See below for examples of (a) a maximum-weight FM, and (b) a maximal FM; the saturated nodes are highlighted.



Distributed complexity.

The distributed complexity of computing maximum-weight FMs is completely understood. It is easy to see that computing an exact solution requires time $\Omega(n)$ already on odd-length path graphs (a node needs to learn the parity of its distance from an endpoint). If one settles for an approximate solution, then FMs whose total weight is at least a $(1 - \epsilon)$ -fraction of the maximum can be computed in time $O(\epsilon^{-1} \log \Delta)$ by the well-known results of Kuhn et al. [16–18]. This is optimal: Kuhn et al. also show that any constant-factor approximation of maximum-weight FMs requires time $\Omega(\log \Delta)$.

By contrast, the complexity of computing maximal FMs has not been understood. A maximal FM is a $1/2$ -approximation of a maximum-weight FM, so the results of Kuhn et al. imply that finding a maximal FM requires time $\Omega(\log \Delta)$, but this lower bound is exponentially small in comparison to the $O(\Delta)$ upper bound [4].

1.3 Contributions

We prove that the $O(\Delta)$ -time algorithm [4] for maximal fractional matchings is optimal:

THEOREM 1. *There is no (randomised) LOCAL algorithm that finds a maximal fractional matching in $o(\Delta)$ rounds.*

To our knowledge, this is the first linear-in- Δ lower bound in the LOCAL model for a classical graph problem. Indeed, prior lower bounds have typically fallen in one of the following categories:

- they are logarithmic in Δ [16–18],
- they analyse the complexity as a function of n for a fixed Δ [7, 8, 10, 11, 20, 21, 24],
- they only hold in a model that is strictly weaker than LOCAL [14, 19].

1.4 The LOCAL model

Our result holds in the standard LOCAL model of distributed computing [21, 27]. For now, we only recall the basic setting; see Section 3 for precise definitions.

In the LOCAL model an input graph $G = (V, E)$ defines both the problem instance and the structure of the communication network. Each node $v \in V$ is a computer and each edge $\{u, v\} \in E$ is a communication link through which nodes u and v can exchange messages. Initially, each node is equipped with a *unique identifier* and, if we study randomised algorithms, a source of randomness. In each *communication round*, each node in parallel (1) sends a message to each neighbour, (2) receives a message from each neighbour, and (3) updates its local state. Eventually, all nodes have to stop and announce their local outputs—in our case the local output of a node $v \in V$ is an encoding of the weight $y(e)$ for each edge e incident to v . The *running time* t of the algorithm is the number of communication rounds until all nodes have stopped. We call an algorithm *strictly local*, or simply *local*, if $t = t(\Delta)$ is only a function of Δ , i.e., independent of n .

The LOCAL model is the strongest model commonly in use—in particular, the size of each message and the amount of local computation in each communication round is unbounded—and this makes *lower bounds* in this model very widely applicable.

2. OVERVIEW

The maximal FM problem is an example of a *locally checkable* problem: there is a local algorithm that can check whether a proposed function y is a feasible solution.

It is known that randomness does not help a local algorithm in solving a locally checkable problem [24]: if there is a $t(\Delta)$ -time worst-case randomised algorithm, then there is a $t(\Delta)$ -time deterministic algorithm (see Appendix A). Thus, we need only prove our lower bound for deterministic algorithms.

2.1 Deterministic models

Our lower bound builds on a long line of prior research. During the course of the proof, we will visit each of the following deterministic models (see Figure 1), whose formal definitions are given in Section 3.

ID: *Deterministic LOCAL.* Each node has a unique identifier [21, 27]. This is the standard model in the field of deterministic distributed algorithms.

OI: *Order-invariance.* The output of an algorithm is not allowed to change if we relabel the nodes while preserving the relative order of the labels [24]. Equivalently, the algorithm can only compare the identifiers, not access their numerical value.

PO: *Port numbering and orientation.* For each node, there is an ordering on the incident edges, and all edges carry an orientation [23].

EC: *Edge colouring.* A proper edge colouring with $O(\Delta)$ colours is given [14].




Figure 1: Deterministic models that are discussed in this work.

The models are listed here roughly in the order of decreasing strength. For example, the ID model is strictly stronger than OI, which is strictly stronger than PO. However, the EC model is not directly comparable: there are problems that are trivial to solve in ID, OI, and PO but impossible to solve in EC with any deterministic algorithm (example: graph colouring in 1-regular graphs); there are also problems that can be solved with a local algorithm in EC but they do not admit a local algorithm in ID, OI, or PO (example: maximal matching).

2.2 Proof outline

In short, our proof is an application of techniques that were introduced in two of our earlier works [10, 14]. Accordingly, our proof is in two steps.

A weak lower bound.

In our prior work [14] we showed that *maximal matchings* cannot be computed in time $o(\Delta)$ in the weak EC model. The lower-bound construction there is a regular graph, and as such, tells us very little about the fractional matching problem, since maximal fractional matchings are trivial to compute in regular graphs.

Nevertheless, we use a similar *unfold-and-mix* argument on what will be called *loopy EC-graphs* to prove the following intermediate result in Section 4:

STEP 1. *The maximal FM problem cannot be solved in time $o(\Delta)$ on loopy EC-graphs.*

The proof heavily exploits the limited symmetry breaking capabilities of the EC model. To continue, we need to argue that similar limitations exist in the ID model.

Strengthening the lower bound.

To extend the lower bound to the ID model, we give a series of local simulation results

$$\text{EC} \rightsquigarrow \text{PO} \rightsquigarrow \text{OI} \rightsquigarrow \text{ID},$$

which state that a local algorithm for the maximal fractional matching problem in one model can be simulated fast in the model preceding it. That is, even though the models EC, PO, OI, and ID are generally very different, we show that the models are roughly equally powerful for computing a maximal fractional matching.

This part of the argument applies ideas from another prior work [10]. There, we showed that, for a large class of optimisation problems, a run-time preserving simulation $\text{PO} \rightsquigarrow \text{ID}$ exists. Unfortunately, the maximal fractional

matching problem is not included in the scope of this result (fractional matchings are not *simple* in the sense of [10]), so we may not apply this result directly in a black-box fashion. In addition, this general result does not hold for the EC model.

Nevertheless, we spend Section 5 extending the methods of [10] and show that they can be tailored to the case of fractional matchings:

STEP 2. *If the maximal FM problem can be solved in time $t(\Delta)$ on ID-graphs, then it can be solved in time $t(\Theta(\Delta))$ on loopy EC-graphs.*

In combination with Step 1, this proves Theorem 1.

3. TOOLS OF THE TRADE

Before we dive into the lower-bound proof, we recall the definitions of the four models mentioned in Section 2.1, and describe the standard tools that are used in their analysis.

3.1 Locality

Distributed algorithms are typically described in terms of networked state machines: the nodes of a network exchange messages for t synchronous communication rounds after which they produce their local outputs (cf. Section 1.4).

Instead, for the purposes of our lower-bound analysis, we view an algorithm \mathcal{A} simply as a function that associates to each pair (G, v) an output $\mathcal{A}(G, v)$ in a way that respects *locality*. That is, an algorithm \mathcal{A} is said to have run-time t , if the output $\mathcal{A}(G, v)$ depends only on the information that is available in the radius- t neighbourhood around v . More formally, define

$$\tau_t(G, v)$$

as the restriction of the structure (G, v) to the t -neighbourhood of v . That is, $\tau_t(G, v)$ consists of the nodes and edges of G that are within distance t from v ; here the distance of an edge $\{u, w\}$ from v is defined as $\min\{\text{dist}(v, u), \text{dist}(v, w)\} + 1$. A t -time algorithm \mathcal{A} is then a mapping that satisfies

$$\mathcal{A}(G, v) = \mathcal{A}(\tau_t(G, v)). \quad (1)$$

(Note that, according to our definition, a node needs to use an algorithm with run-time at least 1 to learn its own degree. While this might seem restrictive, we adopt this convention merely for technical convenience: our algorithms are at most 1 round slower than algorithms in the more natural model where the degree is known at the start.)

The information contained in $\tau_t(G, v)$ depends on which of the models EC, PO, OI, and ID we are studying. For each model we define an associated graph class.

3.2 Identifier-based networks

An *ID-graph* is simply a graph G whose nodes are assigned unique identifiers; namely, $V(G) \subseteq \mathbb{N}$. Any mapping \mathcal{A} satisfying (1) is a t -time ID-algorithm.

An *OI-graph* is an ordered graph (G, \preceq) where \preceq is a linear order on $V(G)$. An OI-algorithm \mathcal{A} operates on OI-graphs in such a way that if (G, \preceq, v) and (G', \preceq', v') are isomorphic (as ordered structures), then $\mathcal{A}(G, \preceq, v) = \mathcal{A}(G', \preceq', v')$.

Every ID-graph G is naturally an OI-graph (G, \leq) under the usual order \leq on \mathbb{N} . In the converse direction, we often convert an OI-graph (G, \preceq) into an ID-graph by specifying an ID-assignment $\varphi: V(G) \rightarrow \mathbb{N}$ that *respects* \preceq in the sense that $v \preceq u$ implies $\varphi(v) \leq \varphi(u)$. The resulting ID-graph is denoted $\varphi(G)$.




Figure 5: Factor graphs and loops. We follow the convention that undirected loops in EC-graphs count as a single incident edge, while directed loops in PO-graphs count as two incident edges: an incoming edge and an outgoing edge. In this example, both u and its preimage u' are nodes of degree 2; they are incident to one edge of colour 1 and one edge of colour 2. Both v and its preimage v' are nodes of degree 3; they are incident to two outgoing edges of colours 1 and 2, and one incoming edge of colour 1.

3.5 Loops

In EC-graphs, a single loop on a node contributes +1 to its degree, whereas in PO-graphs, a single (directed) loop contributes +2 to the degree, once for the tail and once for the head. This is reflected in the way we draw loops—see Figure 5.

The loop count on a node $v \in V(G)$ measures the inability of v to break local symmetries. Indeed, if v has ℓ loops, then in any simple lift H of G each node $u \in V(H)$ that is mapped to v by the covering map will have ℓ distinct neighbours w_1, \dots, w_ℓ that, too, get mapped to v . Thus, an anonymous algorithm is forced to output the same on u as on each of w_1, \dots, w_ℓ .

We consider loops as an important resource.

Definition 1. An edge-coloured graph G is called k -loopy if each node in F_G has at least k loops. A graph is simply loopy if it is 1-loopy.

When computing maximal fractional matchings on a loopy graph G , an anonymous algorithm must saturate all the nodes. For suppose not. If $v \in V(G)$ is a node that does not get saturated, the loopiness of G implies that v has a neighbour u (can be $u = v$ via a loop) that produces the same output as v . But now neither endpoint of $\{u, v\}$ is saturated, which contradicts maximality; see Figure 6. We record this observation.

LEMMA 1. Any EC-algorithm for the maximal FM problem computes a fully saturated FM on a loopy EC-graph. \square




Figure 6: EC-graph G is loopy. Assume that an EC-algorithm \mathcal{A} produces an output in which node v is unsaturated. Then we can construct a simple EC-graph H that is a lift of G via $\alpha: V(H) \rightarrow V(G)$ such that $\alpha(v_1) = \alpha(v_2) = v$ and $\{v_1, v_2\} \in E(H)$. If we apply \mathcal{A} to H , both v_1 and v_2 are unsaturated; hence \mathcal{A} fails to produce a maximal FM.




Figure 7: Base case. By removing a loop e with a non-zero weight, we force the algorithm to change the weight of at least one edge that is present in both G_0 and H_0 .

4. LOWER BOUND IN EC

In this section we carry out Step 1 of our lower-bound plan. To do this we extend the previous lower bound result [14] to the case of maximal fractional matchings.

4.1 Strategy

Let \mathcal{A} be any EC-algorithm computing a maximal fractional matching. We construct inductively a sequence of EC-graph pairs

$$(G_i, H_i), \quad i = 0, 1, \dots, \Delta - 2,$$

that witness \mathcal{A} having run-time greater than i . Each of the graphs G_i and H_i will have maximum degree at most Δ , so for $i = \Delta - 2$, we will have the desired lower bound. More precisely, we show that there are nodes $g_i \in V(G_i)$ and $h_i \in V(H_i)$ satisfying the following property:

(P1) The i -neighbourhoods $\tau_i(G_i, g_i)$ and $\tau_i(H_i, h_i)$ are isomorphic, yet

$$\mathcal{A}(G_i, g_i) \neq \mathcal{A}(H_i, h_i).$$

Moreover, there is a loop of some colour c_i adjacent to both g_i and h_i such that the outputs disagree on its weight.

We will also make use of the following additional properties in the construction:

(P2) The graphs G_i and H_i are $(\Delta - 1 - i)$ -loopy. Consequently, \mathcal{A} will saturate all their nodes by Lemma 1.

(P3) When the loops are ignored, both G_i and H_i are trees.

4.2 Base case ($i = 0$)

Let G_0 consist of a single node v that has Δ differently coloured loops. When \mathcal{A} is run on G_0 , it saturates v by assigning at least one loop e a non-zero weight; see Figure 7. Letting $H_0 := G_0 - e$ it is now easy to check that the pair (G_0, H_0) satisfies (P1–P3) for $g_0 = h_0 = v$. For example, we have $\tau_0(G_0, v) \cong \tau_0(H_0, v)$ because both 0-neighbourhoods consist of a single isolated node of degree 0. Recall our convention that the loops are at distance 1 from v .

4.3 Inductive step

Suppose (G_i, H_i) is a pair satisfying (P1–P3). For convenience, we write G, H, g, h , and c in place of G_i, H_i, g_i, h_i , and c_i . Also, we let $e \in E(G)$ and $f \in E(H)$ be the colour- c loops adjacent to g and h to which \mathcal{A} assigns different weights.

To construct the pair (G_{i+1}, H_{i+1}) we unfold and mix; see Figure 8.




Figure 8: Unfold and mix. The weights of e and f differ; hence the weight of $\{g, h\}$ is different from the weight of e or f .

Unfolding.

First, we unfold the loop e in G to obtain a 2-lift GG of G . That is, GG consists of two disjoint copies of $G - e$ and a new edge of colour c (which we still call e) that connects the two copies of g in GG . For notational purposes, we fix some identification $V(G) \subseteq V(GG)$ so that we can easily talk about one of the copies. Similarly, we construct a 2-lift HH of H by unfolding the loop f .

Recall that \mathcal{A} cannot tell apart G from GG , or H from HH . In particular \mathcal{A} continues to assign unequal weights to e and f in these lifts.

Mixing.

Next, we mix together the graphs GG and HH to obtain a graph GH defined as follows: GH contains a copy of $G - e$, a copy of $H - f$, and a new colour- c edge that connects the nodes g and h . For notational purposes, we let $V(GH) := V(G) \cup V(H)$, where we tacitly assume that $V(G) \cap V(H) = \emptyset$.

Analysis.

Consider the weight that \mathcal{A} assigns to the colour- c edge $\{g, h\}$ in GH . Since \mathcal{A} gives the edges e and f different weights in GG and HH , we must have that the weight of $\{g, h\}$ differs from the weight of e or the weight of f (or both). We assume the former (the latter case is analogous), and argue that the pair

$$(G_{i+1}, H_{i+1}) := (GG, GH)$$

satisfies the properties (P1–P3). It is easy to check that (P2) and (P3) are satisfied by the construction; it remains is to find the nodes $g_{i+1} \in V(GG)$ and $h_{i+1} \in V(GH)$ that satisfy (P1).

To this end, we exploit the following property of fractional matchings:

FACT 1 (PROPAGATION PRINCIPLE). *Assume that y and y' are fractional matchings that saturate a node v . If y and y' disagree on some edge incident to v , there must be another edge incident to v where y and y' disagree.*




Figure 9: Propagation. The weights of e and $\{g, h\}$ differ. We apply the propagation principle towards the common part G that is shared by GG and GH . The graphs are loopy and hence all nodes are saturated by \mathcal{A} ; we will eventually find a loop e^* that is present in both GG and GH , with different weights.

Our idea is to apply this principle in a fully saturated graph, where the disagreements propagate until they are resolved at a loop; this is where we locate g_{i+1} and h_{i+1} . See Figure 9 for an example.

We consider the following fully saturated fractional matchings on G :

y = the FM determined by \mathcal{A} 's output on the nodes $V(G)$ in GG ,

y' = the FM determined by \mathcal{A} 's output on the nodes $V(G)$ in GH .

Starting at the node $g \in V(G)$ we already know by assumption that y and y' disagree on the colour- c edge incident to g . Thus, by the propagation principle, y and y' disagree on some other edge incident to g . If this edge is not a loop, it connects to a neighbour $g' \in V(G)$ of g and the argument can be continued: because y and y' disagree on $\{g, g'\}$, there must be another edge incident to g' where y and y' disagree, and so on. Since G does not have any cycles (apart from the loops), this process has to terminate at some node $g^* \in V(G)$ such that y and y' disagree on a loop $e^* \neq e$ incident to g^* . Note that e^* is a loop in both GG and GH , too. Thus, we have found our candidate $g_{i+1} = h_{i+1} = g^*$.

To finish the proof, we need to show that

$$\tau_{i+1}(GG, g^*) \cong \tau_{i+1}(GH, g^*). \quad (3)$$

The critical case is when $g^* = g$ as this node is the closest among $V(G)$ to seeing the topological differences between the graphs GG and GH . Starting from g and stepping along the colour- c edge towards the differences, we arrive, in GG , at a node \hat{g} that is a copy of $g \in V(G)$, and in GH , at the node h . But these nodes satisfy

$$\tau_i(GG, \hat{g}) \cong \tau_i(GH, h)$$

by our induction assumption. Using this, (3) follows.




Figure 10: $EC \rightsquigarrow PO$. Mapping an EC-graph G into a PO-graph G_{\rightleftharpoons} , and mapping the output of a PO-algorithm back to the original graph.

5. LOCAL SIMULATIONS

Now that we have an $\Omega(\Delta)$ time lower bound in the EC model, our next goal is to extend this result to the ID model. In this section we implement Step 2 of our plan and give a series of local simulations

$$EC \rightsquigarrow PO \rightsquigarrow OI \rightsquigarrow ID.$$

Here, each simulation preserves the running time of an algorithm up to a constant factor. In particular, together with Step 1, this will imply the $\Omega(\Delta)$ time lower bound in the ID model.

5.1 Simulation $EC \rightsquigarrow PO$

We start with the easiest simulation. Suppose there is a t -time PO-algorithm for the maximal fractional matching problem on graphs of maximum degree Δ ; we describe a t -time EC-algorithm for graphs of maximum degree $\Delta/2$.

The local simulation is simple; see Figure 10. On input an EC-graph G we interpret each edge $\{u, v\}$ of colour c as two directed edges (u, v) and (v, u) , both of colour c ; this interpretation makes G into a PO-graph G_{\rightleftharpoons} . We can now locally simulate the PO-algorithm on G_{\rightleftharpoons} to obtain an FM y as output. Finally, we transform y back to an FM of G : the edge $\{u, v\}$ is assigned weight $y(u, v) + y(v, u)$.

5.2 Tricky identifiers

When we are computing a maximal fractional matching $y: E(G) \rightarrow [0, 1]$, we have, a priori, infinitely many choices for the weight $y(e)$ of an edge. For example, in a path on nodes v_1, v_2 , and v_3 , we can freely choose $y(\{v_1, v_2\}) \in [0, 1]$ provided we set $y(\{v_2, v_3\}) = 1 - y(\{v_1, v_2\})$. In particular, an ID-algorithm can output edge weights that depend on the node identifiers whose magnitude is not bounded.

Unbounded outputs are tricky from the perspective of proving lower bounds. The main result of the recent work [10] is a run-time preserving local simulation $PO \rightsquigarrow ID$, but the result only holds under the assumption that the solution can be encoded using finitely many values per node on graphs of maximum degree Δ . This restriction has its source in an earlier local simulation $OI \rightsquigarrow ID$ due to Naor and Stockmeyer [24] that is crucially using Ramsey's theorem. In fact, these two local simulation results fail if unbounded outputs are allowed; counterexamples include even natural graph problems [13].

In conclusion, we need an ad hoc argument to establish that an ID-algorithm cannot benefit from unique identifiers in case of the maximal fractional matching problem.

5.3 Simulation $PO \rightsquigarrow OI$

Before we address the question of simulating ID-algorithms, we first salvage one part of the result in [10]: there is local simulation $PO \rightsquigarrow OI$ that applies to many locally checkable problems, regardless of the size of the output encoding. Even though this simulation works off-the-shelf in our present setting, we cannot use this result in a black-box fashion, as we need to access its inner workings later in the analysis. Thus, we proceed with a self-contained proof.

The following presentation is considerably simpler than that in [10], since we are only interested in a simulation that produces a *locally maximal* fractional matching, not in a simulation that also provides approximation guarantees on the *total weight*, as does the original result.

PO-checkability.

Maximal fractional matchings are not only locally checkable, but also *PO-checkable*: there is a local PO-algorithm that can check whether a given y is a maximal FM. An important consequence of PO-checkability is that if H is a lift of G then any PO-algorithm produces a feasible solution on H if and only if it produces a feasible solution on G .

Order homogeneity.

The key to the simulation $PO \rightsquigarrow OI$ is a *canonical linear order* that can be computed for any tree-like PO-neighbourhood. To define this ordering, let d denote the maximum number of edge colours appearing in the input PO-graphs that have maximum degree Δ , and let T denote the infinite $2d$ -regular d -edge-coloured PO-tree. We fix a homogeneous linear order for T :

LEMMA 2. *There is a linear order \preceq on $V(T)$ such that all the ordered neighbourhoods (T, \preceq, v) , $v \in V(T)$, are pairwise isomorphic (i.e., up to any radius).*

PROOF. The tree T can be thought of as a Cayley graph of the free group on d generators, and the free group admits a linear order that is invariant under the group acting on itself by multiplication; for details, see Neumann [25] and the discussion in [10, §5]. \square

For an alternative, combinatorial proof of Lemma 2, see the extended version of this paper [9].

Simulation.

Let \mathcal{A}_{OI} be any t -time OI-algorithm solving a PO-checkable problem; we describe a t -time PO-algorithm \mathcal{A}_{PO} solving the same problem.

The algorithm \mathcal{A}_{PO} operates on a PO-graph G as follows; see Figure 11. Given a PO-neighbourhood $\tau := \tau_i(U_G, v)$, we first embed τ in T : we choose an arbitrary node $u \in V(T)$, identify v with u , and let the rest of the embedding $\tau \subseteq (T, u)$ be dictated uniquely by the edge colours. We then use the ordering \preceq inherited from T to order the nodes of τ . By Lemma 2, the resulting structure (τ, \preceq) is independent of the choice of u , i.e., the isomorphism type of (τ, \preceq) is only a function of τ . Finally, we simulate

$$\mathcal{A}_{PO}(\tau) := \mathcal{A}_{OI}(\tau, \preceq). \quad (4)$$

To see that the output of \mathcal{A}_{PO} is feasible, we argue as follows. Embed the universal cover U_G as a subgraph of (T, \preceq) in a way that respects edge colours. Again, all possible embeddings are isomorphic; we call the inherited ordering




Figure 11: Given a PO-graph G , algorithm \mathcal{A}_{PO} simulates the execution of \mathcal{A}_{OI} on OI-graph τ . The linear order on $V(\tau)$ is inherited from the regular tree T . As T is homogeneous, the linear order does not depend on the choice of node u in T .

(U_G, \preceq) the canonical ordering of U_G . Our definition of \mathcal{A}_{PO} and the order homogeneity of (T, \preceq) now imply that

$$\mathcal{A}_{\text{PO}}(U_G, v) = \mathcal{A}_{\text{OI}}(U_G, \preceq, v) \quad \text{for all } v \in V(U_G).$$

Therefore, the output of \mathcal{A}_{PO} is feasible on U_G . Finally, by PO-checkability, the output of \mathcal{A}_{PO} is feasible also on G , as desired.

5.4 Simulation $\text{OI} \rightsquigarrow \text{ID}$

The reason why an ID-algorithm \mathcal{A} cannot benefit from unbounded identifiers is due to the propagation principle. We formalise this in two steps.

- (i) We use the Naor–Stockmeyer $\text{OI} \rightsquigarrow \text{ID}$ result to see that \mathcal{A} can be forced to output fully saturated FMs on so-called *loopy* OI-neighbourhoods.
- (ii) We then observe that, on these neighbourhoods, \mathcal{A} behaves like an OI-algorithm: \mathcal{A} 's output cannot change if we relabel a node in an order-preserving fashion, because the changes in the output would have to propagate outside of \mathcal{A} 's run-time.

That is, our simulation $\text{OI} \rightsquigarrow \text{ID}$ will work only on certain types of neighbourhoods (in contrast to our previous simulations), but this will be sufficient for the purposes of the lower bound proof.

Step (i).

Let \mathcal{A} be a t -time ID-algorithm that computes a maximal fractional matching on graphs of maximum degree Δ .

From \mathcal{A} we can derive, by a straightforward simulation, a t -time *binary-valued* ID-algorithm \mathcal{A}^* that indicates whether

\mathcal{A} saturates a node. That is, $\mathcal{A}^*(G, v) := 1$ if \mathcal{A} saturates v in G , otherwise $\mathcal{A}^*(G, v) := 0$. Such saturation indicators \mathcal{A}^* were considered previously in [3, §4].

Because (and *only* because) \mathcal{A}^* outputs finitely many values, we can now apply the Ramsey technique of Naor and Stockmeyer [24, Lemma 3.2]. To avoid notational clutter, we use a version of their result that follows from the application of the infinite Ramsey's theorem (rather than the finite):

LEMMA 3 (NAOR AND STOCKMEYER). *There is an infinite set $I \subseteq \mathbb{N}$ such that \mathcal{A}^* is an OI-algorithm when restricted to graphs whose identifiers are in I . \square*

We say that $\tau_t(U_G, \preceq, v)$ is a *loopy* OI-neighbourhood if G is a loopy PO-graph and (U_G, \preceq) is the canonically ordered universal cover of G . We also denote by $B_t(v) \subseteq V(U_G)$ the node set of $\tau_t(U_G, v)$.

Our saturation indicator \mathcal{A}^* is useful in proving the following lemma, which encapsulates step (i) of our argument.

LEMMA 4. *Let $\tau := \tau_t(U_G, \preceq, v)$ be loopy. If $\varphi: B_t(v) \rightarrow I$ is an ID-assignment to the nodes of τ that respects \preceq , then \mathcal{A} saturates v under φ .*

PROOF. By loopiness of G , the node v has a neighbour $u \in V(U_G)$ such that $\tau_t(U_G, v) \cong \tau_t(U_G, u)$ as PO-neighbourhoods. By order homogeneity, $\tau_t(U_G, \preceq, v) \cong \tau_t(U_G, \preceq, u)$ as OI-neighbourhoods. By Lemma 3, this forces \mathcal{A}^* to output the same on v and u under any ID-assignment $\varphi': B_t(v) \cup B_t(u) \rightarrow I$ that respects \preceq . But \mathcal{A}^* cannot output two adjacent 0's if \mathcal{A} is to produce a maximal fractional matching. Hence, \mathcal{A}^* outputs 1 on $\varphi'(\tau)$. Finally, by order-invariance, \mathcal{A}^* outputs 1 on $\varphi(\tau)$, which proves the claim. \square

Step (ii).

Define J as an infinite subset of I that is obtained by picking every $(m+1)$ -th identifier from I , where m is the maximum number of nodes in a $(2t+1)$ -neighbourhood of maximum degree Δ . That is, for any two $j, j' \in J$, $j < j'$, there are m distinct identifiers $i \in I$ with $j < i < j'$.

The next lemma states that \mathcal{A} behaves like an OI-algorithm on loopy neighbourhoods that have identifiers from J .

LEMMA 5. *Assume that $\tau := \tau_t(U_G, \preceq, v)$ is loopy. If $\varphi_1, \varphi_2: B_t(v) \rightarrow J$ are any two ID-assignments that respect \preceq , then $\mathcal{A}(\varphi_1(\tau)) = \mathcal{A}(\varphi_2(\tau))$.*

PROOF. We first consider the case where φ_1 and φ_2 disagree only on a single node $v^* \in B_t(v)$. Towards a contradiction suppose that

$$\mathcal{A}(\varphi_1(\tau)) \neq \mathcal{A}(\varphi_2(\tau)). \quad (5)$$

We start with partial ID-assignments for U_G that are defined on the nodes $B_{2t+1}(v)$; this will suffice for running \mathcal{A} on the nodes $B_{t+1}(v)$. Indeed, because $J \subseteq I$ is sufficiently sparse, we can extend φ_1 and φ_2 into assignments $\bar{\varphi}_1, \bar{\varphi}_2: B_{2t+1}(v) \rightarrow I$ such that

- $\bar{\varphi}_1$ and $\bar{\varphi}_2$ respect \preceq , and
- $\bar{\varphi}_1$ and $\bar{\varphi}_2$ still disagree only on the node v^* .

Let y_i , $i = 1, 2$, be the fractional matching defined on the edges incident to $B_{t+1}(v)$ that is determined by the output of \mathcal{A} on the nodes $B_{t+1}(v)$ under the assignment $\bar{\varphi}_i$. By

Lemma 4, all the nodes $B_{t+1}(v)$ are saturated in both y_1 and y_2 .

Let $D \subseteq U_G$ be the subgraph consisting of the edges e with $y_1(e) \neq y_2(e)$ and of the nodes that are incident to such edges; by (5), we have $v \in V(D)$. Now we can reinterpret the propagation principle from Section 4:

FACT 2 (PROPAGATION PRINCIPLE). *For each node $u \in B_{t+1}(v) \cap V(D)$ we have $\deg_D(u) \geq 2$.*

Using the fact that $D \subseteq U_G$ is a tree, we can start a simple walk at $v \in V(D)$, take the first step away from v^* , and finally arrive at a node $u \in B_{t+1}(v) \cap V(D)$ that has $\text{dist}(u, v^*) \geq t + 1$, i.e, the node u does not see the difference between the assignments $\bar{\varphi}_1$ and $\bar{\varphi}_2$. But this is a contradiction: as the t -neighbourhoods $\bar{\varphi}_i(\tau_t(U_G, u))$, $i = 1, 2$, are the same, so should the weights output by \mathcal{A} .

General case. If $\varphi_1, \varphi_2: B_t(v) \rightarrow J$ are any two assignments respecting \preceq , they can be related to one another by a series of assignments

$$\varphi_1 = \pi_1, \pi_2, \dots, \pi_k = \varphi_2,$$

where any two consecutive assignments π_i and π_{i+1} both respect \preceq and disagree on exactly one node. Thus, the claim follows from the analysis above. \square

Let \mathcal{A}_{OI} be any t -time OI-algorithm that agrees with the order-invariant output of \mathcal{A} on loopy OI-neighbourhoods that have identifiers from J . We now obtain the final form of our $\text{OI} \rightsquigarrow \text{ID}$ simulation:

COROLLARY 1. *If G is a loopy PO-graph, \mathcal{A}_{OI} produces a maximal fractional matching on the canonically ordered universal cover (U_G, \preceq) .*

PROOF. The claim follows by a standard argument [24, Lemma 3.2] from two facts: J is large enough; and maximal fractional matchings are locally checkable. \square

5.5 Concluding Theorem 1

To get the final lower bound of Theorem 1 we reason backwards. Assume that \mathcal{A} is a t -time ID-algorithm that computes a maximal fractional matching on any graph of maximum degree Δ .

OI \rightsquigarrow ID: Corollary 1 above gives us a t -time OI-algorithm \mathcal{A}_{OI} that computes a maximal fractional matching on the canonically ordered universal cover (U_G, \preceq) for any loopy PO-graph G of maximum degree Δ .

PO \rightsquigarrow OI: Simulation (4) in Section 5.3 queries the output of \mathcal{A}_{OI} only on (U_G, \preceq) . This gives us a t -time PO-algorithm \mathcal{A}_{PO} that computes a maximal fractional matching on any loopy PO-graph G of maximum degree Δ .

EC \rightsquigarrow PO: The simple simulation in Section 5.1 gives us a t -time EC-algorithm \mathcal{A}_{EC} that computes a maximal fractional matching on any loopy EC-graph G of maximum degree $\Delta/2$.

But now we can use the construction of Section 4: there is a loopy EC-graph of maximum degree $\Delta/2$ where \mathcal{A}_{EC} runs for $\Omega(\Delta)$ rounds. Hence the running time of \mathcal{A} is also $\Omega(\Delta)$.

6. ACKNOWLEDGEMENTS

This work is supported in part by the Academy of Finland, Grants 132380 and 252018, and by the Research Funds of the University of Helsinki. Much of this research was done while the authors were affiliated with the Department of Computer Science, University of Helsinki. We would like to thank Christoph Lenzen and Roger Wattenhofer for discussions and the anonymous reviewers for their helpful feedback.

7. REFERENCES

- [1] Noga Alon, László Babai, and Alon Itai. A fast and simple randomized parallel algorithm for the maximal independent set problem. *Journal of Algorithms*, 7(4):567–583, 1986. doi:10.1016/0196-6774(86)90019-2.
- [2] Dana Angluin. Local and global properties in networks of processors. In *Proc. 12th Annual ACM Symposium on Theory of Computing (STOC 1980)*, pages 82–93. ACM Press, 1980. doi:10.1145/800141.804655.
- [3] Matti Åstrand, Patrik Floréen, Valentin Polishchuk, Joel Rybicki, Jukka Suomela, and Jara Uitto. A local 2-approximation algorithm for the vertex cover problem. In *Proc. 23rd International Symposium on Distributed Computing (DISC 2009)*, volume 5805 of *Lecture Notes in Computer Science*, pages 191–205. Springer, 2009. doi:10.1007/978-3-642-04355-0_21.
- [4] Matti Åstrand and Jukka Suomela. Fast distributed approximation algorithms for vertex cover and set cover in anonymous networks. In *Proc. 22nd Annual ACM Symposium on Parallelism in Algorithms and Architectures (SPAA 2010)*, pages 294–302. ACM Press, 2010. doi:10.1145/1810479.1810533.
- [5] Leonid Barenboim and Michael Elkin. *Distributed Graph Coloring: Fundamentals and Recent Developments*. Morgan & Claypool, 2013. doi:10.2200/S00520ED1V01Y201307DCT011.
- [6] Leonid Barenboim, Michael Elkin, Seth Pettie, and Johannes Schneider. The locality of distributed symmetry breaking. In *Proc. 53rd Annual IEEE Symposium on Foundations of Computer Science (FOCS 2012)*, pages 321–330. IEEE Computer Society Press, 2012. doi:10.1109/FOCS.2012.60.
- [7] Andrzej Czygrinow, Michał Hańćkowiak, and Wojciech Wawrzyniak. Fast distributed approximations in planar graphs. In *Proc. 22nd International Symposium on Distributed Computing (DISC 2008)*, volume 5218 of *Lecture Notes in Computer Science*, pages 78–92. Springer, 2008. doi:10.1007/978-3-540-87779-0_6.
- [8] Patrik Floréen, Marja Hassinen, Joel Kaasinen, Petteri Kaski, Topi Musto, and Jukka Suomela. Local approximability of max-min and min-max linear programs. *Theory of Computing Systems*, 49(4):672–697, 2011. doi:10.1007/s00224-010-9303-6.
- [9] Mika Göös, Juho Hirvonen, and Jukka Suomela. Linear-in- Δ lower bounds in the local model, 2013. arXiv:1304.1007.
- [10] Mika Göös, Juho Hirvonen, and Jukka Suomela. Lower bounds for local approximation. *Journal of the ACM*, 60(5):39:1–23, 2013. doi:10.1145/2528405. arXiv:1201.6675.
- [11] Mika Göös and Jukka Suomela. No sublogarithmic-time approximation scheme for bipartite vertex cover. In *Proc. 26th International Symposium on Distributed*

- Computing (DISC 2012)*, volume 7611 of *Lecture Notes in Computer Science*, pages 181–194. Springer, 2012. doi:10.1007/978-3-642-33651-5_13. arXiv:1205.4605.
- [12] Michał Hańćkowiak, Michał Karoński, and Alessandro Panconesi. On the distributed complexity of computing maximal matchings. *SIAM Journal on Discrete Mathematics*, 15(1):41–57, 2001. doi:10.1137/S0895480100373121.
- [13] Henning Hasemann, Juho Hirvonen, Joel Rybicki, and Jukka Suomela. Deterministic local algorithms, unique identifiers, and fractional graph colouring. In *Proc. 19th International Colloquium on Structural Information and Communication Complexity (SIROCCO 2012)*, volume 7355 of *Lecture Notes in Computer Science*, pages 48–60. Springer, 2012. doi:10.1007/978-3-642-31104-8_5.
- [14] Juho Hirvonen and Jukka Suomela. Distributed maximal matching: greedy is optimal. In *Proc. 31st Annual ACM Symposium on Principles of Distributed Computing (PODC 2012)*, pages 165–174. ACM Press, 2012. doi:10.1145/2332432.2332464. arXiv:1110.0367.
- [15] Amos Israeli and Alon Itai. A fast and simple randomized parallel algorithm for maximal matching. *Information Processing Letters*, 22(2):77–80, 1986. doi:10.1016/0020-0190(86)90144-4.
- [16] Fabian Kuhn, Thomas Moscibroda, and Roger Wattenhofer. What cannot be computed locally! In *Proc. 23rd Annual ACM Symposium on Principles of Distributed Computing (PODC 2004)*, pages 300–309. ACM Press, 2004. doi:10.1145/1011767.1011811.
- [17] Fabian Kuhn, Thomas Moscibroda, and Roger Wattenhofer. The price of being near-sighted. In *Proc. 17th Annual ACM-SIAM Symposium on Discrete Algorithms (SODA 2006)*, pages 980–989. ACM Press, 2006. doi:10.1145/1109557.1109666.
- [18] Fabian Kuhn, Thomas Moscibroda, and Roger Wattenhofer. Local computation: lower and upper bounds, 2010. arXiv:1011.5470.
- [19] Fabian Kuhn and Roger Wattenhofer. On the complexity of distributed graph coloring. In *Proc. 25th Annual ACM Symposium on Principles of Distributed Computing (PODC 2006)*, pages 7–15. ACM Press, 2006. doi:10.1145/1146381.1146387.
- [20] Christoph Lenzen and Roger Wattenhofer. Leveraging Linial’s locality limit. In *Proc. 22nd International Symposium on Distributed Computing (DISC 2008)*, volume 5218 of *Lecture Notes in Computer Science*, pages 394–407. Springer, 2008. doi:10.1007/978-3-540-87779-0_27.
- [21] Nathan Linial. Locality in distributed graph algorithms. *SIAM Journal on Computing*, 21(1):193–201, 1992. doi:10.1137/0221015.
- [22] Michael Luby. A simple parallel algorithm for the maximal independent set problem. *SIAM Journal on Computing*, 15(4):1036–1053, 1986. doi:10.1137/0215074.
- [23] Alain Mayer, Moni Naor, and Larry Stockmeyer. Local computations on static and dynamic graphs. In *Proc. 3rd Israel Symposium on the Theory of Computing and Systems (ISTCS 1995)*, pages 268–278. IEEE, 1995. doi:10.1109/ISTCS.1995.377023.
- [24] Moni Naor and Larry Stockmeyer. What can be computed locally? *SIAM Journal on Computing*, 24(6):1259–1277, 1995. doi:10.1137/S0097539793254571.
- [25] B. H. Neumann. On ordered groups. *American Journal of Mathematics*, 71(1):1–18, 1949. doi:10.2307/2372087.
- [26] Alessandro Panconesi and Romeo Rizzi. Some simple distributed algorithms for sparse networks. *Distributed Computing*, 14(2):97–100, 2001. doi:10.1007/PL00008932.
- [27] David Peleg. *Distributed Computing: A Locality-Sensitive Approach*. SIAM Monographs on Discrete Mathematics and Applications. Society for Industrial and Applied Mathematics, Philadelphia, 2000.

APPENDIX

A. DERANDOMISATION

As discussed in Section 5.2, unbounded outputs require special care. In this appendix we note that even though Naor and Stockmeyer [24] assume bounded outputs, their result on derandomising local algorithms applies in our setting, too.

Let \mathcal{A} be a randomised $t(\Delta)$ -time algorithm that computes a maximal FM on graphs of maximum degree Δ or possibly fails with some small probability. Given an assignment of random bit strings $\rho: V(G) \rightarrow \{0, 1\}^*$ to the nodes of a graph G , denote by \mathcal{A}^ρ the *deterministic* algorithm that computes as \mathcal{A} , but uses ρ for randomness.

The proof of Theorem 5.1 in [24] is using the following fact whose proof we reproduce here for convenience.

LEMMA 6. *For every n , there is an n -set $S_n \subseteq \mathbb{N}$ of identifiers and an assignment $\rho_n: S_n \rightarrow \{0, 1\}^*$ such that \mathcal{A}^{ρ_n} is correct on all graphs that have identifiers from S_n .*

PROOF. Denote by $k = k(n)$ the number of graphs G with $V(G) \subseteq \{1, \dots, n\}$. Let $X_1, \dots, X_q \subseteq \mathbb{N}$ be any q disjoint sets of size n . Suppose for the sake of contradiction that the claim is false for each X_i . That is, for any assignment $\rho: X_i \rightarrow \{0, 1\}^*$ of random bits, \mathcal{A}^ρ fails on at least one of the k many graphs G with $V(G) \subseteq X_i$. By averaging, this implies that for each i there is a particular graph G_i , $V(G_i) \subseteq X_i$, on which \mathcal{A} fails with probability at least $1/k$. Consider the graph G that is the disjoint union of the graphs G_1, \dots, G_q . Since \mathcal{A} fails independently on each of the components G_i , the failure probability on G is at least $1 - (1 - 1/k)^q$. But this probability can be made arbitrarily close to 1 by choosing a large enough q , which contradicts the correctness of \mathcal{A} . \square

The deterministic algorithms \mathcal{A}^{ρ_n} allow us to again obtain a $t(\Delta)$ -time OI-algorithm, which establishes the $\Omega(\Delta)$ lower bound for \mathcal{A} . Only small modifications to Section 5.4 are needed:

- **Step (i).** Instead of the infinite set $I \subseteq \mathbb{N}$ as previously provided by Lemma 3, we can use the finite Ramsey’s theorem to find arbitrarily large sets $I_n \subseteq S_n$ (i.e., $|I_n| \rightarrow \infty$ as $n \rightarrow \infty$) with the property that \mathcal{A}^{ρ_n} fully saturates the nodes of a loopy OI-neighbourhood that has identifiers from I_n (Lemma 4).
- **Step (ii).** Then, passing again to sufficiently sparse subsets $J_n \subseteq I_n$, we can reprove Lemma 5 and Corollary 1, which only require that J is large enough.

This concludes the lower bound proof for randomised LOCAL algorithms.